

Memorandum

To: All WNY AEMT and ALS EMS Agencies

From: Brian Clemency, DO

WREMAC Chairman

Cc: Southwestern Regional EMS Council

Wyoming-Erie Regional EMS Council Big Lakes Regional EMS Council

Southern Tier EMS

Office of Prehospital Care

Lake Plains Community Care Network

Re: IV Fluid and Medication Minimum Stocking Requirements

Date: REVISED: November 20, 2013

SUPERSEDES: October 21, 2011

The Western Regional Emergency Medical Advisory Committee (WREMAC) has updated the minimum stocking requirements for IV fluids and medications. This list supersedes all previous WREMAC publications and reflects the fluid and medication stocking requirements in the 2014 WREMAC Adult and Pediatric Protocols.

The attached list has two components by level of care: *Required Fluids & Medications* and *Optional Fluids & Medications*.

<u>Required</u> fluids and medications represent the minimum list of supplies to be considered "in service" as an AEMT or ALS unit.

<u>Optional</u> fluids and medications is a list of supplies that may be carried in addition to the required list but only with your medical director's written approval.

If you have any questions concerning this list, please contact your regional program agency or medical director. A list of regional program agencies has been provided below.

Thank you for your time and dedication to the patients in our region!

EMS Program Agencies:

Niagara, Orleans, & Genesee Counties
Erie & Wyoming Counties
Chautauqua, Cattaraugus, Allegany Counties

Lake Plains CCN:
Office of Prehospital Care:
Southern Tier EMS:
585-345-6110
716-898-3600
716-372-0614

REQUIRED BLS/AEMT Fluids & Medications

Please note: minimum dose is in reference to the amount needed for one call.

Additional stock should be on hand at all times!

BASIC LEVEL UNITS:

Medications Minimum Quantity on Unit

Epi-Pen 2 Adult & 2 Junior

Albuterol 2.5 mg in 3 ml (unit dose) – 3 doses

Aspirin 81mg and/or 325mg tablet 1 bottle

INTERMEDIATE LEVEL UNITS:

Fluids & Medications Minimum Quantity on Unit

Epi-Pen 2 Adult & 2 Junior

Albuterol 2.5 mg in 3 ml (unit dose) – 3 doses

Aspirin 81mg and/or 325mg tablet 1 bottle D10W 1000mL Normal Saline Solution (.9%) 5000mL

AEMT LEVEL UNITS:

Fluids & Medications Minimum Quantity on Unit

Normal Saline Solution (.9%) 5000mL

Epi-Pen 2 Adult & 2 Junior

Albuterol 2.5 mg in 3 ml (unit dose) – 3 doses

Nitroglycerin 0.4mg tablets 1 Bottle

REQUIRED ALS Fluids & Medications

Please note: minimum dose is in reference to the amount needed for one call.

Additional stock should be on hand at all times!

CRITICAL CARE AND PARAMEDIC LEVEL UNITS:

Fluids & Medications Minimum Quantity on Hand Dose

D5W solution⁽¹⁾ 1000 mL Normal Saline solution 5000 mL

Adenosine 30 mg

Albuterol 2.5 mg in 3 ml (unit dose) – 3 doses

Amiodarone 450 mg
Aspirin 81mg and/or 325mg tablet 1 bottle
Atropine 3mg
Calcium Chloride 1g

Diazepam *or* Midazolam (lorazepam per MD) According to CS operations plan⁽²⁾

Diltiazem or Metroprolol or Verapamil Diltiazem (40 mg); Metroprolol (10 mg); Verapamil (10 mg)

 $\begin{array}{lll} \text{Diphenhydramine} & 50 \text{ mg} \\ \text{Dopamine} & 400 \text{ mg} \\ \text{Epinephrine 1:1,000} & 4 \text{mg} \\ \text{Epinephrine 1:10,000}^{(3)} & 10 \text{mg} \\ \text{Glucagon}^{(4)} & 1 \text{ mg} \end{array}$

Hydrocortisone *or* Methylprednisolone Hydrocortisone (100 mg); Methylprednisolone (125 mg)

Ipratropium (Atrovent) 0.5 mg in 3 ml (unit dose) – 3 doses

Magnesium Sulfate 4 g

Morphine Sulfate According to CS operations plan

Methylprednisolone *or* Prednisone Methylprednisolone (125 mg); Prednisone (50 mg)

Naloxone (Narcan)2 mgNitroglycerine 2% ointment1 tubeNitroglycerine 0.4mg tablets1 bottleOndansetron (Zofran)8 mgSodium Bicarbonate (8.4%)100 mEqSodium Thiosulfate12.5 gThiamine100 mg

(1) Medical Director may authorize agency to carry less D5W if agency carries pre-mixed Dopamine and/or Magnesium Sulfate.

⁽²⁾ALL ALS agencies MUST (according to 2013 SEMSCO resolution) obtain their own CS license by 5-1-2015.

⁽³⁾ Less Epi 1:10,000 may be required if medical director substitutes Vasopressin in Cardiac Arrest protocols

⁽⁴⁾ If following medical command treatment options a total of 2 mg will be carried.

OPTIONAL Medications

Please note: Agency must stock all "required medications" in addition to "optional medications". Optional medications may only be used with written authorization from medical director!

Minimal stock levels to be established by agency medical director

MARK 1 kit (3) *or* AtroPen (3) *or* Atropine (20 mg)

Anesthetic spray (e.g. Benzocaine 20%) *or* Lidocaine jelly 2%

Cimetadine – 300 mg

Cyanokit – 1 kit (may be used to replace Adult dose of Sodium Thiosulfate)

Famotidine – 20 mg

Fentanyl – Per CS Operations Plan

Furosemide (Lasix) – 40mg

Midazolam (Versed) -5 mg

Naloxone 2mg – with nasal atomizer

Procainamide – max dose is 17 mg/kg

Ranitidine – 50 mg

Succinylcholine – 1.5 mg/kg

Terbutaline – .25 mg

Vasopressin – 40 Units

Medication Facilitated Intubation (Required Medications)

Etomidate (Amidate) - 0.3 mg/kg

AND

Vecuronium – 0.1 mg/kg or Rocuronium 1mg/kg

AND

Midazolam (Versed) – 2 mg every 15 minutes if hemodynamically stable

OR

Lorazepam (Ativan) – 2 mg every 15 minutes if hemodynamically stable

OR

Diazepam (Valium) – 5 mg every 15 minutes if hemodynamically stable